

## Biogas Alternatives Feasibility Study RFP#9049

### Questions and Answers

#### Regional San

# Question	Answer
1 What is the anticipated budget projected for this project?	See 10. Selection Process Phase 3
2 How many stakeholders, meeting, and workshops are anticipated?	Consultant shall specify the amount of coordination (data gathering / meetings / workshops / etc.) they expect is necessary to complete this task.
3 Is 20 page limitation inclusive of qualifications and project experience details?	Per Section 7 "Organization and Content of Proposal: Proposals shall not exceed 20 pages total length, not including Transmittal Letter, Cover Page, Table of Contents, Section Dividers and Resumes.
4 How much biogas has been generated?	1800 scfm total 1565 scfm SMUD 235 scfm flares/boilers
5 What is the average percentage of CH4 in the biogas?	59%
6 How much of the 1,800 scfm biogas has not been utilized and has gone to the Flare?	235 scfm
7 The units on the "Digester Gas Flow to Cogen" are kscf. Can you clarify the units (Is indicating thousand scf)? What is the per unit time of this metric?	Net annual quantity
8 Has the optimization of biogas production been conducted in the last 5 years?	FOG is approximately 4500 gpd
9 Does Regional San historically, or plan in the future to consider inclusion of co-substrates in the AD process?	Yes, future enhancements are anticipated.
If there are future plans to consider inclusion of co-substrates in the AD # process, can you outline the schedule when it was (and to what extent), or when it may be incorporated?	2022 at the earliest based on current operational constraints